



Author index

Volume 85 (1997)

Akulin, V.N. 85, 125
Arnhold, J. 85, 13
Arnold, K. 85, 13
Asano, T. 85, 53

Bakare, O. 85, 175
Barwicz, J. 85, 145
Bezuglov, V.V. 85, 125
Bornsheuer, U. 85, 91
Christie, W.W. 85, 125

Danino, D. 85, 75
Davies, J.E.D. 85, 175
Donnerstag, A. 85, 115
Durand, T. 85, 125

Esterbauer, H. 85, 1

Hauksson, J.B. 85, 25
Hinz, H.-J. 85, 23

Kaplun, A. 85, 75
Kasyanov, S.P. 85, 125
Kawazura, H. 85, 45
Khysar Pasha, M. 85, 101
Kinnunen, P.K.J. 85, 107
Kinoshita, K. 85, 53

Kisselev, P. 85, 91
Klose, G. 85, 115
Köberl, M. 85, 23
Komatsu, H. 85, 67
Kuklev, D.V. 85, 125
Kveder, M. 85, 1

Lam, C.K. 85, 101
Lantzsch, G. 85, 115
Lehtonen, J.Y.A. 85, 107
Lie Ken Jie, M.S.F. 85, 101, 175
Lindblom, G. 85, 75

Monasse, B. 85, 135

Okada, S. 85, 67
Orädd, G. 85, 75

Pampel, A. 85, 115
Pečar, S. 85, 1
Pfeiffer, H. 85, 115
Pifat, G. 85, 1
Pisch, S. 85, 91

Ramos, P. 85, 1
Rapp, G. 85, 23
Richter, W. 85, 115
Rilfors, L. 85, 75
Rolland, J.-P. 85, 135

Rossi, J.C. 85, 125

Saito, H. 85, 45
Santaella, C. 85, 135
Schara, M. 85, 1
Schmid, R.D. 85, 91
Schwarz, D. 85, 91
Seifert, T. 85, 13
Sievi, J.-J. 85, 107
Söderlund, T. 85, 107

Talmon, Y. 85, 75
Tanaka, H. 85, 45
Tancrède, P. 85, 145
Tyman, J.H.P. 85, 157

Vidal, J.P. 85, 125
Vierling, P. 85, 135
Visani, N. 85, 157
Volke, F. 85, 115

Waschikpy, R. 85, 115
Welzel, P. 85, 115
Wessel, R. 85, 91

Yamazaki, M. 85, 53

Zschörnig, O. 85, 13





Subject index

Volume 85 (1997)

Acholeplasma laidlawii; Glycerophosphoryldiglucosyldiacylglycerol; Lipid structure; NMR; Cryo-TEM; Micelle **85**, 75

Adsorption; Amphotericin-B; Cholesterol; Ergosterol; Monolayer; Phospholipids **85**, 145

Alkynes; Phenolic lipid; Anacardic acid; Dienes; Trienes; Synthesis **85**, 157

Amphotericin-B; Cholesterol; Ergosterol; Monolayer; Adsorption; Phospholipids **85**, 145

Anacardic acid; Phenolic lipid; Dienes; Trienes; Synthesis; Alkynes **85**, 157

Antibiotic; Interaction with membranes; MAS NMR; DSC; Electron microscopy **85**, 115

Beta-blockers; Laser electrophoresis; Low-density lipoproteins (LDL); Sodium hypochlorite; Zeta-potential; J774 macrophages **85**, 13

Bilayer; Glycolipids; Monolayer; Phase transitions; Surface pressure; X-ray scattering; Transition enthalpy; Transition temperature; Transition area; WAXS; SAXS **85**, 23

Bilayers; Fluorinated phospholipids; Membranes; Miscibility; Binary mixture; DSC **85**, 135

Binary mixture; Fluorinated phospholipids; Bilayers; Membranes; Miscibility; DSC **85**, 135

Cationic liposomes; DC electric field; Phase contrast microscopy; Fluorescence microscopy **85**, 107

Cholesterol; Amphotericin-B; Ergosterol; Monolayer; Adsorption; Phospholipids **85**, 145

Cholesterol; Ethyl alcohol; Interdigitation; Permeation; Liposome; Vesicle **85**, 67

Cholesterol; VO^{2+} ; Spin probe; Dynamics; Polar head; Phosphatidylcholine **85**, 45

Composition of fatty acids; ESR; Lipoproteins; LDL; VLDL **85**, 1

Cryo-TEM; Glycerophosphoryldiglucosyldiacylglycerol; Lipid structure; NMR; *Acholeplasma laidlawii*; Micelle **85**, 75

CYP11A1; Nonbilayer lipids; Cytochrome P450SCC; Hexagonal II phase; Enzymatic activity; Vesicle aggregation **85**, 91

Cytochrome P450SCC; Nonbilayer lipids; CYP11A1; Hexagonal II phase; Enzymatic activity; Vesicle aggregation **85**, 91

DC electric field; Cationic liposomes; Phase contrast microscopy; Fluorescence microscopy **85**, 107

Dienes; Phenolic lipid; Anacardic acid; Trienes; Synthesis; Alkynes **85**, 157

DSC; Antibiotic; Interaction with membranes; MAS NMR; Electron microscopy **85**, 115

DSC; Fluorinated phospholipids; Bilayers; Membranes; Miscibility; Binary mixture **85**, 135

Dynamics; VO^{2+} ; Spin probe; Polar head; Phosphatidylcholine; Cholesterol **85**, 45

Electron microscopy; Antibiotic; Interaction with membranes; MAS NMR; DSC **85**, 115

Enzymatic activity; Nonbilayer lipids; Cytochrome P450SCC; CYP11A1; Hexagonal II phase; Vesicle aggregation **85**, 91

Ergosterol; Amphotericin-B; Cholesterol; Monolayer; Adsorption; Phospholipids **85**, 145

ESR; Lipoproteins; LDL; VLDL; Composition of fatty acids **85**, 1

Ethyl alcohol; Cholesterol; Interdigitation; Permeation; Liposome; Vesicle 85, 67

Fluorescence microscopy; Cationic liposomes; DC electric field; Phase contrast microscopy 85, 107

Fluorinated phospholipids; Bilayers; Membranes; Miscibility; Binary mixture; DSC 85, 135

Furanoid fatty ester; *m*-Chloroperoxybenzoic acid; Hydrogen peroxide; Isomerization; Magnesium monoperoxyphthalate; Pyridinium chlorochromate; Ultrasound 85, 101

Glycerophosphoryldiglycosyldiacylglycerol; Lipid structure; NMR; Cryo-TEM; *Acholeplasma laidlawii*; Micelle 85, 75

Glycolipids; Monolayer; Bilayer; Phase transitions; Surface pressure; X-ray scattering; Transition enthalpy; Transition temperature; Transition area; WAXS; SAXS 85, 23

Hexagonal II phase; Nonbilayer lipids; Cytochrome P450SCC; CYP11A1; Enzymatic activity; Vesicle aggregation 85, 91

High performance liquid chromatography; Linoleic acid; Lipid peroxidation; Ketodienoic compounds; 9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); 13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); Synthesis; NMR spectroscopy; Mass spectrometry 85, 125

Hydrogen peroxide; *m*-Chloroperoxybenzoic acid; Furanoid fatty ester; Isomerization; Magnesium monoperoxyphthalate; Pyridinium chlorochromate; Ultrasound 85, 101

13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); Linoleic acid; Lipid peroxidation; Ketodienoic compounds; 9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); Synthesis; NMR spectroscopy; Mass spectrometry; High performance liquid chromatography 85, 125

9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); Linoleic acid; Lipid peroxidation; Ketodienoic compounds; 13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); Synthesis; NMR spectroscopy; Mass spectrometry; High performance liquid chromatography 85, 125

Interaction with membranes; Antibiotic; MAS NMR; DSC; Electron microscopy 85, 115

Interdigitated gel phase; χ Parameter; Poor solvent; Phase transition; Phospholipid 85, 53

Interdigitation; Ethyl alcohol; Cholesterol; Permeation; Liposome; Vesicle 85, 67

IR spectroscopy; Raman spectroscopy; Selenalaurates; Tellulaurates; Sulphinyl laurates; Sulphonyl laurates 85, 175

Isomerization; *m*-Chloroperoxybenzoic acid; Furanoid fatty ester; Hydrogen peroxide; Magnesium monoperoxyphthalate; Pyridinium chlorochromate; Ultrasound 85, 101

J774 macrophages; Beta-blockers; Laser electrophoresis; Low-density lipoproteins (LDL); Sodium hypochlorite; Zeta-potential 85, 13

Ketodienoic compounds; Linoleic acid; Lipid peroxidation; 9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); 13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); Synthesis; NMR spectroscopy; Mass spectrometry; High performance liquid chromatography 85, 125

Laser electrophoresis; Beta-blockers; Low-density lipoproteins (LDL); Sodium hypochlorite; Zeta-potential; J774 macrophages 85, 13

LDL; ESR; Lipoproteins; VLDL; Composition of fatty acids 85, 1

Linoleic acid; Lipid peroxidation; Ketodienoic compounds; 9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); 13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); Synthesis; NMR spectroscopy; Mass spectrometry; High performance liquid chromatography 85, 125

Lipid peroxidation; Linoleic acid; Ketodienoic compounds; 9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); 13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); Synthesis; NMR spectroscopy; Mass spectrometry; High performance liquid chromatography 85, 125

Lipid structure; Glycerophosphoryldiglycosyldiacylglycerol; NMR; Cryo-TEM; *Acholeplasma laidlawii*; Micelle 85, 75

Lipoproteins; ESR; LDL; VLDL; Composition of fatty acids 85, 1

Liposome; Ethyl alcohol; Cholesterol; Interdigitation; Permeation; Vesicle 85, 67

Low-density lipoproteins (LDL); Beta-blockers; Laser electrophoresis; Sodium hypochlorite; Zeta-potential; J774 macrophages 85, 13

Magnesium monoperoxyphthalate; *m*-Chloroperoxybenzoic acid; Furanoid fatty ester; Hydrogen peroxide; Isomerization; Pyridinium chlorochromate; Ultrasound 85, 101

MAS NMR; Antibiotic; Interaction with membranes; DSC; Electron microscopy 85, 115

Mass spectrometry; Linoleic acid; Lipid peroxidation; Ketodienoic compounds; 9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); 13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); Synthesis; NMR spectroscopy; High performance liquid chromatography 85, 125

***m*-Chloroperoxybenzoic acid;** Furanoid fatty ester; Hydrogen peroxide; Isomerization; Magnesium monoperoxyphthalate; Pyridinium chlorochromate; Ultrasound **85**, 101

Membranes; Fluorinated phospholipids; Bilayers; Miscibility; Binary mixture; DSC **85**, 135

Micelle; Glycerophosphoryldiglucosyldiacylglycerol; Lipid structure; NMR; Cryo-TEM; *Acholeplasma laidlawii* **85**, 75

Miscibility; Fluorinated phospholipids; Bilayers; Membranes; Binary mixture; DSC **85**, 135

Monolayer; Amphotericin-B; Cholesterol; Ergosterol; Adsorption; Phospholipids **85**, 145

Monolayer; Glycolipids; Bilayer; Phase transitions; Surface pressure; X-ray scattering; Transition enthalpy; Transition temperature; Transition area; WAXS; SAXS **85**, 23

NMR; Glycerophosphoryldiglucosyldiacylglycerol; Lipid structure; Cryo-TEM; *Acholeplasma laidlawii*; Micelle **85**, 75

NMR spectroscopy; Linoleic acid; Lipid peroxidation; Ketodienoic compounds; 9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); 13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); Synthesis; Mass spectrometry; High performance liquid chromatography **85**, 125

Nonbilayer lipids; Cytochrome P450SCC; CYP11A1; Hexagonal II phase; Enzymatic activity; Vesicle aggregation **85**, 91

χ Parameter; Poor solvent; Phase transition; Phospholipid; Interdigitated gel phase **85**, 53

Permeation; Ethyl alcohol; Cholesterol; Interdigitation; Liposome; Vesicle **85**, 67

Phase contrast microscopy; Cationic liposomes; DC electric field; Fluorescence microscopy **85**, 107

Phase transition; χ Parameter; Poor solvent; Phospholipid; Interdigitated gel phase **85**, 53

Phase transitions; Glycolipids; Monolayer; Bilayer; Surface pressure; X-ray scattering; Transition enthalpy; Transition temperature; Transition area; WAXS; SAXS **85**, 23

Phenolic lipid; Anacardic acid; Dienes; Trienes; Synthesis; Alkynes **85**, 157

Phosphatidylcholine; VO^{2+} ; Spin probe; Dynamics; Polar head; Cholesterol **85**, 45

Phospholipid; χ Parameter; Poor solvent; Phase transition; Interdigitated gel phase **85**, 53

Phospholipids; Amphotericin-B; Cholesterol; Ergosterol; Monolayer; Adsorption **85**, 145

Polar head; VO^{2+} ; Spin probe; Dynamics; Phosphatidylcholine; Cholesterol **85**, 45

Poor solvent; χ Parameter; Phase transition; Phospholipid; Interdigitated gel phase **85**, 53

Pyridinium chlorochromate; *m*-Chloroperoxybenzoic acid; Furanoid fatty ester; Hydrogen peroxide; Isomerization; Magnesium monoperoxyphthalate; Ultrasound **85**, 101

Raman spectroscopy; IR spectroscopy; Selenolaurates; Tellurolaurates; Sulphinyl laurates; Sulphonyl laurates **85**, 175

SAXS; Glycolipids; Monolayer; Bilayer; Phase transitions; Surface pressure; X-ray scattering; Transition enthalpy; Transition temperature; Transition area; WAXS **85**, 23

Selenolaurates; Raman spectroscopy; IR spectroscopy; Tellurolaurates; Sulphinyl laurates; Sulphonyl laurates **85**, 175

Sodium hypochlorite; Beta-blockers; Laser electrophoresis; Low-density lipoproteins (LDL); Zeta-potential; J774 macrophages **85**, 13

Spin probe; VO^{2+} ; Dynamics; Polar head; Phosphatidylcholine; Cholesterol **85**, 45

Sulphinyl laurates; Raman spectroscopy; IR spectroscopy; Selenolaurates; Tellurolaurates; Sulphonyl laurates **85**, 175

Sulphonyl laurates; Raman spectroscopy; IR spectroscopy; Selenolaurates; Tellurolaurates; Sulphinyl laurates **85**, 175

Surface pressure; Glycolipids; Monolayer; Bilayer; Phase transitions; X-ray scattering; Transition enthalpy; Transition temperature; Transition area; WAXS; SAXS **85**, 23

Synthesis; Linoleic acid; Lipid peroxidation; Ketodienoic compounds; 9-Hydroxy-(10E,12Z)-octadecadien-1-oic acid (9-HODE); 13-Hydroperoxy-(9Z,11E)-octadecadien-1-oic acid (13-HODE); NMR spectroscopy; Mass spectrometry; High performance liquid chromatography **85**, 125

Synthesis; Phenolic lipid; Anacardic acid; Dienes; Trienes; Alkynes **85**, 157

Tellurolaurates; Raman spectroscopy; IR spectroscopy; Selenolaurates; Sulphinyl laurates; Sulphonyl laurates **85**, 175

Transition area; Glycolipids; Monolayer; Bilayer; Phase transitions; Surface pressure; X-ray scattering; Transition enthalpy; Transition temperature; WAXS; SAXS **85**, 23

Transition enthalpy; Glycolipids; Monolayer; Bilayer; Phase transitions; Surface pressure; X-ray scattering; Transition temperature; Transition area; WAXS; SAXS **85**, 23

Transition temperature; Glycolipids; Monolayer; Bilayer; Phase transitions; Surface pressure; X-ray scattering; Transition enthalpy; Transition area; WAXS; SAXS **85**, 23

Trienes; Phenolic lipid; Anacardic acid; Dienes; Synthesis; Alkynes **85**, 157

Ultrasound; *m*-Chloroperoxybenzoic acid; Furanoid fatty ester; Hydrogen peroxide; Isomerization; Magnesium monoperoxyphthalate; Pyridinium chlorochromate **85**, 101

Vesicle aggregation; Nonbilayer lipids; Cytochrome P450SCC; CYP11A1; Hexagonal II phase; Enzymatic activity **85**, 91

Vesicle; Ethyl alcohol; Cholesterol; Interdigitation; Perme-

ation; Liposome **85**, 67

VLDL; ESR; Lipoproteins; LDL; Composition of fatty acids **85**, 1

VO²⁺; Spin probe; Dynamics; Polar head; Phosphatidylcholine; Cholesterol **85**, 45

WAXS; Glycolipids; Monolayer; Bilayer; Phase transitions; Surface pressure; X-ray scattering; Transition enthalpy; Transition temperature; Transition area; SAXS **85**, 23

X-ray scattering; Glycolipids; Monolayer; Bilayer; Phase transitions; Surface pressure; Transition enthalpy; Transition temperature; Transition area; WAXS; SAXS **85**, 23

Zeta-potential; Beta-blockers; Laser electrophoresis; Low-density lipoproteins (LDL); Sodium hypochlorite; J774 macrophages **85**, 13

